

MEMS Reliability Assurance Activities at JPL

S. Kayali, R. Lawton, and B. Stark
Electronic Parts Engineering
Jet Propulsion Laboratory
California Institute of Technology

Tel. (818) 354-6830
Email: Sammy.A.Kayali@jpl.nasa.gov



Sammy Kayali, GOMAC'99



Acknowledgement

The work described in this presentation was conducted at the Jet Propulsion Laboratory, California Institute of Technology, under contract with the National Aeronautics and Space Administration.

Special appreciation to M. Abraham, N. Pressor, G. Fedder, W. Tang, T. Tang, D. Weiberg, J. Okuno, K. Man, D. Vu, and C. Barnes for their help and support in this activity




Outline

- MEMS Capabilities at JPL
- Overview of MEMS Reliability Assurance and qualification activities at JPL
- Current MEMS Reliability Activities
- MEMS Reliability Assurance Guideline for Space Applications
- Future Plans and Near Term Activities
- Summary



MEMS Capabilities at JPL

- **Design, Analysis and Fabrication**
 - Design - MSC/PATRAN
 - Layout - Tanner Tools
 - ANSOFT/Maxwell 3D Field Solver
 - Surface μ machining, Bulk μ machining, LIGA, Wafer Bonding, Deep RIE
- **Reliability and Failure Analysis**
 - Process Characterization
 - Test Structure Analysis
 - SEM, ESEM, Metrology, IR , Novel Visualization Techniques
- **Environmental Test & Characterization**
- **Radiation Test and Characterization**
 - Total Ionizing Dose
 - Single Event Effects




Micro-Valve




Quadrupole Mass Filter




MEMS Fabrication at JPL




Anisotropic Bulk Micromachining




Anodic Wafer Bonding



LIGA



Deep Reactive-Ion Etching of Si




Polysilicon Surface Micromachining




MEMS Reliability Thrust Areas At JPL

- Process Characterization
- Environmental Test and Characterization
- Identification of Failure Modes and Mechanisms
- Qualification for Space Flight Applications
- MEMS Reliability Alliance



Polysilicon cantilever adhering to substrate




Tunneling Accelerometer on STRV-2




Process Characterization

- Utilize Reliability and Process Monitor Test Structures to Determine:
 - Process Stability and Uniformity
 - Crack Initiation and Propagation
 - Effects of Post Release and Packaging
 - Potential Failure Modes and Mechanisms



Crack Propagation Test Structure HP MOSIS




Electrostatic Comb Drive MCNC





Environmental Characterization

- Demonstrate the Reliability of a Design and the Suitability for the Intended Application
- Simulate the Launch Environment and Qualify the Design for Launch and In-Service Conditions



Micro Gyroscope




Cracks in single crystal silicon support beams caused by vibrations from a launch test




Current Reliability Activities

- Test Structure Characterization
 - MCNC MUMPS
 - HP MOSIS
 - ORBIT
- Device Characterization and Qualification
 - Microgyro
 - Magnetometer
 - Quadrupole Mass Spectrometer
 - Tunneling Accelerometer
- MEMS Reliability and Qualification Workshops (2 @ JPL, SPIE, IEEE)
- MEMS Reliability Assurance Guideline for Space Applications
- MEMS Reliability Alliance




MEMS Accelerometer CIT




MEMS Microgyro



Process & Test Structure Characterization




Tunneling Accelerometer Tip




Temperature-insensitive resonator (U of M)

Sammy Kayali, GOMAC'99




Vernier Test Structure HP
MOSIS




Polysilicon cantilever ORBIT




Radiation Effects—Total Dose Effects on ADXL50



Electron Irradiation




Proton Irradiation



Flight Validation—Tunneling Accelerometer

Collaboration with Phillips Lab on the *Space Technology Research Vehicle* (STRV-2), launched in '98, to a 410 km x 1,750 km elliptical orbit



High-Voltage
Supply

Solenoid

Temperature
Sensor

Two-Cell
Accelerometer

Rad-Hard
Op-Amp

0.7 x 1.1 in
Package




Sammy Kayali, GOMAC'99

12

JPL

MEMS Reliability Assurance Guideline

- Developed as an aid to help in the understanding of MEMS reliability.
- Structured as an educational tool with detailed description of common structures and technologies.
- Material properties, failure mechanisms, and processing techniques are Addressed
- Device structures, and packaging techniques common to MEMS are Also Addressed.
- Provides for the development of suitable qualification plans.



MEMS Reliability Alliance

- An Organized Alliance of MEMS Development and Fabrication Government and Industry Laboratories Committed to the Development of Scientific Understanding and Improvement of MEMS Reliability in the Areas of:
 - Characterization and Analysis of MEMS Processes, Test Structures, and Devices
 - Development and Implementation of Novel Characterization and Modeling Tools
 - Improvement of Manufacturing Yield and Reliability
 - Identification and Analysis of MEMS Failure Mechanisms
- The Alliance will Provide for an Accelerated Infusion Path of MEMS Technology in High Reliability Applications
- Non-Proprietary Technical Information and Data will be Disseminated



Future Plans

- Continue to Utilize Test Structures for Characterization and Evaluation of Processes and Release Effects
- Implement In-Situ Testing of MEMS to Investigate Stiction using ESEM, AFM, and other Analysis Tools
- Continue Activities in the Characterization and Qualification of MEMS Devices for Space Application
- Expand the MEMS Reliability Alliance to Address Process Characterization and Validation of MEMS Models by Experimental Test



Summary

- MEMS Reliability at JPL Continues to be a Very Important Activity
- Evaluation of Process Monitors and Reliability Test Structures is Essential for Understanding Process Stability and Uniformity
- Specific Environmental Test and Characterization Techniques have been Utilized for Device Qualification and Application in High Reliability Systems
- The “MEMS Reliability Assurance Guideline for Space Applications” is a Useful Aid for Understanding Reliability and Qualification Issues and Possible Solutions
- Experimental Results will Continue to be Used for Process Improvements and Design Tool Validation
- The MEMS Reliability Alliance will Provide Significant Leveraging of Available Resources and Capabilities

